

Sheer Tempotest Home[®]

ITALIAN PERFORMANCE FABRICS





Tempotest Home® Sheer

Airy and elegant, Tempotest Home® Sheer is **the ideal solution for decoration**. An open mesh fabric, perfect for screening the sun's rays without occluding the view, and **creates a pleasant atmosphere**.

Suitable for vertical shading of outdoor facilities such as pergolas and gazebos, and to enhance boring and impersonal environments with swags, ceilings and drapes; or as curtains for windows and balconies **increasing visual comfort and privacy of living areas**.

Resistant to mould, mildew and salt, Tempotest Home® Sheer **keeps its beauty without needing complicated maintenance** or frequent washing.


Tempotest Home® Sheer also **preserves its colour and brilliance** without colour fading or yellowing even when subjected to strong **UV rays** and the most demanding weathering which would damage any other type of fabric in a short time.

Thanks to the finishing Teflon™ EXTREME by Parà Tempotest Home® Sheer is water/oil repellent, allowing the water to slip taking away any accumulation of dirt.

The water repellency, combined with the open and light structure helps a rapid drying preventing drapes and decors to become heavy and mis-shapen. Tempotest Home® Sheer provides **good protection against insects**.

WARRANTY

Tempotest Home® Sheer fabrics are guaranteed 8 years. The warranty only covers loss of colour and tenacity, due to the normal exposure to the action of UV rays and weather conditions in general.



Tempotest Home® Sheer

Airoso y elegante, Tempotest Home Sheer es **la solución ideal para la decoración**. Un tejido de malla abierta, útil para sortear los rayos del sol sin ocultar la visibilidad y para crear una atmosfera agradable. Indicado para cerramiento vertical de estructura exterior como separador o gasa, para conseguir un ambiente exclusivo ventilado, para decorar o como cortina vertical para ventanas y balcones **con la función de aumentar el confort visual y la privacidad de los ambientes habitados**.



Protegido contra el moho y la salubridad, Tempotest Home Sheer mantiene su belleza sin una complicada manutención o frecuente lavado.

Conserva siempre su mismo color y su brillantez sin decolorarse o variar también sometido a los rayos **UV** y a los agentes atmosféricos más duros que perjudican en breve tiempo cualquier otro tejido. El tratamiento Teflón EXTREME de PARÀ lo protege hidro y oleorepelente, permitiendo así mismo que el agua escurra llevándose eventualmente la suciedad acumulada. La hidorepelencia, unida a la estructura favorece un rápido secado y evita molestias.

Tempotest Home Sheer constituye una **válida protección contra los insectos**.

GARANTIA

El tejido Tempotest Home Sheer está cubierto por una garantía de 8 años. Tal garantía comprende exclusivamente la pérdida de color debida a la normal exposición a la acción del sol y de los agentes atmosféricos en general.



TECHNICAL FEATURES

Width (inch) 124,4"

Weight $\pm 5\%$ (oz/sq yard) 3,53

Composition

100% solution dyed outdoor acrylic fibre

Colour fastness to artificial weathering

UNI EN ISO 105 B04

Degree > 7/8

Guarantee

8-years warranty

Finishing

Mould resistance, soil resistant,
oil and water-repellent with Teflon™

Maintenance and cleaning

DATOS TECNICOS

Ancho (cm) 316

Peso $\pm 5\%$ (g/m²) 120

Composición

100% fibra acrílica "outdoor" tintada en masa

Solidez de los colores a la intemperie

UNI EN ISO 105 B04

Grado > 7/8

Garantía

8 años

Acabado

tratamiento anti-manchas, anti-moho, agua/aceite
repelente

Mantenimiento



Stains on Tempotest Home® fabrics can be removed with a solution of water (not more than 40°C) and neutral soap, brushing and rinsing thoroughly. It is possible to dry wash the fabric or in washing machine at 30°C with liquid detergent. Use low speed spin-dryer. Let dry the fabric at the open air. Do not dry with electrical appliances and do not iron with steam.

Las manchas de los tejidos de la colección Tempotest Home pueden eliminarse con agua (nunca a más de 40°C) y jabón, cepillándolo y enjuagándolo con mucho cuidado. Es posible lavar el tejido en seco o en lavadora a 30°C con detergente líquido y con muy suave centrifugación. Hay que dejar el tejido que se seque al aire libre. Nunca secar con aparatos eléctricos y no planchar con vapor.





www.tempotestusa.com

TEMPOTEST USA 1433 West Frankford Rd. Suite 110 Carrollton, TX 75007 USA
Phone: (972) 5123534 Fax: (972) 512 3544 E-Mail: sales@tempotestusa.com